

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

DATE MAILED: 10/18/2005

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/606,396	06/27/2003	Stephen St. Germain	ONS00494	4802
75	90 10/18/2005		EXAM	INER
James J. Stipanuk			TRAN, THIEN F	
Semiconductor	Components Industries, L.	.L.C.		
Patent Administration Dept - MD/A700			ART UNIT	PAPER NUMBER
P.O. Box 62890			2811	
Phoenix A7	25082-2890			

Please find below and/or attached an Office communication concerning this application or proceeding.

		\mathscr{U}				
	Application No.	Applicant(s) [→]				
	10/606,396	GERMAIN ET AL.				
Office Action Summary	Examiner	Art Unit				
	Thien F. Tran	2811				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet w	ith the correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.11 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNI 36(a). In no event, however, may a will apply and will expire SIX (6) MOI , cause the application to become A	CATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on <u>03 A</u>	ugust 2005.					
,						
3) Since this application is in condition for allowar	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims	•	·				
•	a in the application					
4) Claim(s) 1-7,10,12-35 and 38-42 is/are pending in the application. 4a) Of the above claim(s) 7,10,12,14-16,19-32,34 and 38-41 is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-6,13,17,18,33,35 and 42 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examine	r.					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correct						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in A rity documents have beer u (PCT Rule 17.2(a)).	Application No received in this National Stage				
Attachment(s)						
1) Notice of References Cited (PTO-892)		Summary (PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	· · · ·	(s)/Mail Date Informal Patent Application (PTO-152)				
 Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 	6) Other:					

Art Unit: 2811

DETAILED ACTION

Drawings

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the inner edge 24 at the bonding surface 6 extending at least to the first peripheral edge 13 must be shown in Figures 1 and 5 or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

Art Unit: 2811

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 1-6, 13, 17, 18, 33, 35 and 42 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The recitation of an inner edge at the bonding surface extending at least to the first peripheral edge sets forth a structure not supported by the elected species 1 of Figures 1-2 and 5. Applicant is requested to point out exactly wherein the application with respect to elected species 1 of Figures 1-2 and 5 that provides such support. The disclosure with respect to Figures 1-2 and 5 discloses the inner edge 24 at the bonding surface 6 spaced a horizontal distance 26 from the first peripheral edge 13 (page 8, lines 10-11). Also, the inner edge 24 is formed below the first peripheral edge 13 and separated from the first peripheral edge 13 by a first die (chip) attach layer 9. Thus the inner edge 24 is not extending at least to the first peripheral edge 13 as claimed.

Response to Arguments

Applicant's arguments with respect to claims 1-6, 13, 17, 18, 33, 35 and 42 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Application/Control Number: 10/606,396

Art Unit: 2811

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thien F. Tran whose telephone number is (571) 272-1665. The examiner can normally be reached on 8:30AM - 5:00PM Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie C. Lee can be reached on (571) 272-1732. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Application/Control Number: 10/606,396

Art Unit: 2811

Page 5

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

tt

October 12, 2005

THIEN TRAN